

VON BORSTEL
Appl. No. 09/763,955
June 22, 2007

RECEIVED
CENTRAL FAX CENTER

JUN 22 2007

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-47. (cancelled)

48 (currently amended). A method for treating a congenital mitochondrial disease selected from the group consisting of Mitochondrial Encephalomyopathy, Lactic Acidemia, and stroke like episodes; Lerber's Hereditary Optic Neuropathy; Myclonic Epilepsy and "Ragged Red" (muscle) Fibers; Mitochondrial neurogastrointestinal encephalomyopathy; Neurogenic muscle weakness, Ataxia and Retinitis Pigmentosa; Progressive External Ophthalmoplegia; Leigh's Disease; and Kearns-Sayres Syndrome in a mammal comprising administering to said mammal in need of such treatment an effective amount of a pyrimidine nucleotide precursor.

49 (previously presented). A method for treating Alzheimer's Disease in a mammal comprising administering to said mammal in need of such treatment an effective amount of a pyrimidine nucleotide precursor.

50 (previously presented). A method for treating Huntington's Disease in a mammal comprising administering to said mammal in need of such treatment an effective amount of a pyrimidine nucleotide precursor.

VON BORSTEL
Appl. No. 09/763,955
June 22, 2007

51-54 (canceled).

55 (previously presented). A method for treating pathophysiological consequences of mitochondrial respiratory chain dysfunction selected from the group consisting of renal tubular acidosis, dilating cardiomyopathy and lactic acidemia in a mammal comprising administering to said mammal in need of such treatment an effective amount of a pyrimidine nucleotide precursor.

56-61 (canceled).

62 (previously presented). A method as in claim 48 wherein said pyrimidine nucleotide precursor is 2',3',5'-tri-O-acetyluridine.

63 (previously presented). A method as in claim 49 wherein said pyrimidine nucleotide precursor is 2',3',5'-tri-O-acetyluridine.

64 (previously presented). A method as in claim 50 wherein said pyrimidine nucleotide precursor is 2',3',5'-tri-O-acetyluridine.

65-67 (canceled).

68 (previously presented). A method as in claim 55 wherein said pyrimidine nucleotide precursor is 2',3',5'-tri-O-acetyluridine.

VON BORSTEL
Appl. No. 09/763,955
June 22, 2007

69 (canceled).